



## Surface mounting equipments: IoT connected roller shutter module

**03982**

Surface mounting equipments / Devices / Radiofrequency

### IoT connected roller shutter module

View Wireless connected actuator for 1 roller shutter with slat orientation and change-over relay output for  $\cos\phi$  0,6 2 A 100-240 V~ 50/60 Hz motor, remote control, double technology with Bluetooth® wireless technology 5.0 standard for the realization of View Wireless mesh system and Zigbee 3.0 standard, 100-240 V 50/60 Hz power supply, flush mounting at the back of the device

- Configuration from View Wireless App for Bluetooth technology system and Amazon App for Zigbee technology
- Compatible with Alexa, Google Home and IFTTT, using the dedicated gateway or Zigbee hub
- The shape fosters maximum flexibility of installation (retrofit, junction boxes, etc.)
- When operated directly from the battery-free controls, wiring with electro-mechanical push buttons is not necessary



### Product Status

3 - Active

### Minimum order quantity

1 NR




## Sheets, Manuals, Documentation

- [Foglio istruzioni \(475 kb\)](#)
- [\(541 kb\)](#)
- [Notices techniques \(477 kb\)](#)
- [Hoja de instrucciones \(476 kb\)](#)
- [Instructions sheet \(471 kb\)](#)
- [Φύλλο οδηγιών \(589 kb\)](#)
- [Anwendungshinweise \(478 kb\)](#)
- [Manuale app View Wireless \(12385 kb\)](#)
- [Manuel appli View Wireless \(18781 kb\)](#)
- [Manual app View Wireless \(18410 kb\)](#)
- [Manual View Wireless app \(18450 kb\)](#)
- [Εγχειρίδιο τεχνικού εγκατάστασης \(18614 kb\)](#)
- [Installationsanleitung View Wireless \(18391 kb\)](#)

## Video

- [Creating-the-system](#)
- [Customisations](#)
- [Operation-in-Zigbee-mode](#)
- [Bluetooth-wifi-gateway](#)


## Drawings



Space view



Backside view



3D View



## Gallery



## Technical data

- **Class group:** Domestic switching devices
- **Class:** Push-switch button
- **With signal lamp:** No
- **Anti-bacterial treatment:** No
- **Surface finishing:** Matt
- **Colour:** Yellow
- **RAL-number (similar):** 7015
- **Transparent:** No
- **Label space/information surface:** Yes
- **Imprint:** None
- **Width of device:** 50,35 mm
- **Height of device:** 50,65 mm
- **Depth of device:** 19,50 mm

## Certifications

- 00. CE Marking - EU ([download](#))
- 01. IMQ - Italy ([download](#))
- 10. EAC Eurasian Customs Union
- 19. NOM - Mexico
- 29. QCERT - Colombia ([download](#))
- 40. Bluetooth technology
- 92. RoHS UAE
- 99. WEEE Directive ([download](#))

## Packaging



8 007352 648517  
**Code** 8007352648517  
**Quantity** 1 NR  
**Dim.** 6x5.4x5.2 [cm]  
**Weight** 52.2 [g]



8 007352 648524  
**Code** 8007352648524  
**Quantity** 60 NR  
**Dim.** 37.5x30x13.5 [cm]  
**Weight** 3,442 [g]

## Legal

Vimar reserves the right to change at any time and without notice the characteristics of the products reported. Installation should be carried out by qualified staff in compliance with the current regulations regarding the installation of electrical equipment in the country where the products are installed. For the terms of use of the information on the product info sheet see [Conditions of Use](#).