Arké: Classic plate 4M technopolymer ivory

19654.73

Arké / Cover plates / Technopolymer Classic cover plates

Classic plate 4M technopolymer ivory

4-module Classic cover plate, technopolymer, ivory

Product Status

3 - Active

Minimum order quantity

10 NR

You may also be interested in



19614 - Frame 4M +screws

Video

- Arké lives in your time

Drawings



Space view



Backside view



3D View

Gallery







Technical data

- **Class group**: Domestic switching devices
- **Class**: Cover frame for domestic switching devices
- **Number of units**: 4
- **Mounting direction**: Horizontal and vertical
- **Number of units horizontal**: 4
- **Number of units vertical**: 1
- **Number of modules horizontal (module system)**: 4
- **Number of modules vertical (module system)**: 1
- **Number of switch inserts**: 0
- **With mounting grid**: Yes
- **Suitable for floor box**: Yes
- **Suitable for wall duct**: Yes
- **Suitable for built-in installation**: Yes
- **Label space/information surface**: Yes
- **Material**: Plastic
- **Material quality**: Thermoplastic
- **Halogen free**: Yes
- **Surface protection**: Untreated
- **Surface finishing**: Matt
- **Colour**: White
- **RAL-number (similar)**: 9002
- **Transparent**: No
- **With hinged lid**: No
- **Degree of protection (IP)**: IP00
- **Type of fastening**: Clamp mounting
- **Width**: 144,50 mm
- **Height**: 90,00 mm
- **Depth**: 8,60 mm
- **Built-in width**: 144,50 mm
- **Built-in height**: 90,00 mm
- **Diameter bore hole (opening)**: 0 mm

Certifications

- 00. CE Marking - EU
- 01. IMQ - Italy (download)
- 29. QCERT - Colombia (download)
- 37. Marking - Morocco
- 43. UKCA mark - Great Britain

Packaging

8 007352 439481

Code	8007352439481
Quantity	1 NR
Dim.	14.5x9x0.9 [cm]
Weight	27.96 [g]

8 007352 439498

Code	8007352439498
Quantity	10 NR
Dim.	17.1x9.8x9.9 [cm]
Weight	279.6 [g]

8 007352 640269

Code	8007352640269
Quantity	360 NR
Dim.	59x34.5x32.5 [cm]
Weight	10,815.6 [g]

Legal

Vimar reserves the right to change at any time and without notice the characteristics of the products reported.Installation should be carried out by qualified staff in compliance with the current regulations regarding the installation of electrical equipment in the country where the products are installed.For the terms of use of the information on the product info sheet see Conditions of Use.