



ELVOX Door entry: Video kit - 7in TS Wi-Fi 1F IP/2-wire

K40980

ELVOX Door entry / Exclusive / Exclusive

Video kit - 7in TS Wi-Fi 1F IP/2-wire

IP over 2 wires surface mounting video door entry kit containing: 1 hands-free touch screen monitor, integrated Wi-Fi for call repetition on smartphone with dedicated App, 7" LCD colour display, complete with bracket for surface mounting, 1 audiovideo entrance panel with rain-proof frame configurable for 1, 2 or 4 families with RFID reader with relay output configurable as NO or NC for electrical lock or voltage-free contact, 5 Mifare coloured RFID cards (40169), 1 power supply unit (40105)

- Compatible with Amazon Alexa voice assistants
- No need for programming, simply connect the devices with just 2 wires
- To receive and manage video door entry calls directly from your smartphone or tablet
- When refurbishing existing 2-wire systems, the indoor and outdoor stations can simply be replaced, maintaining the same wiring
- Up to 3 Wi-Fi cameras per apartment can be connected; Vimar cameras supported 46237.040A, 46239.040A and 46241.036A



Product Status

3 - Active

Minimum order quantity

1 NR

Kit components



40980.M - TS monitor 7in
Wi-Fi IP/2-wired



40105 - Power unit DIN 100-
240V~ 50/60Hz 32Vdc



40169 - 7 Mifare RFID keys



You may also be interested in



46237.040A - Bullet Wi-Fi cam - Full-HD 1080p 4mm



46239.040A - PT Wi-Fi Full-HD cam - 1080p 4mm



46241.036A - Outdoor PT Wi-Fi cam Full-HD - 3,6mm

Sheets, Manuals, Documentation

- [Quick Guide \(4992 kb\)](#)
- [Manuale utente \(5554 kb\)](#)
- [Manual do utilizador \(5486 kb\)](#)
- [Manuel de l'utilisateur \(5490 kb\)](#)
- [Manual de usuario \(5461 kb\)](#)
- [User Manual \(5472 kb\)](#)
- [Εγχειρίδιο χρήστη \(5487 kb\)](#)
- [Bedienungsanleitung \(5475 kb\)](#)
- [\(5578 kb\)](#)

Technical data

- **Class group:** Communication technique
- **Class:** Door station set
- **With video:** Yes
- **Number of indoor stations:** 1
- **Number of outdoor stations:** 1
- **Number of call buttons:** 2
- **Installation technique:** 2-wire
- **Mounting method indoor station:** Surface mounted (plaster)
- **Colour indoor station:** White
- **Mounting method outdoor station:** Surface mounted (plaster)
- **Material outdoor station:** Aluminium
- **Colour outdoor station:** Grey
- **Expandable to max. number of indoor stations:** 1
- **Expandable to max. number of outdoor stations:** 1
- **Picture system:** Other
- **Property picture system:** Colour
- **Can be connected to smartphone:** Yes
- **Internal communication:** Yes
- **Hands free:** Yes
- **With day/night function:** Yes
- **Opening angle camera:** 160
- **Zoom, pan/tilt function:** No
- **With memory function:** Yes
- **Screen diagonal:** 178,00 mm
- **Screen diagonal (inch):** 7
- **Manual adjustable camera:** No
- **Label space/information surface:** Yes
- **Hearing aid compatible:** No
- **Suitable for disabled persons:** No
- **Compatible with Apple HomeKit:** No
- **Compatible with Google Assistant:** No
- **Compatible with Amazon Alexa:** Yes
- **IFTTT support available:** No



Certifications

- 00. CE Marking - EU
- 37. Marking - Morocco
- 43. UKCA mark - Great Britain
- 92. RoHS UAE
- 99. WEEE Directive ([download](#))

Packaging



8 007352 708631
Code 8007352708631
Quantity 1 NR
Dim. 24.8x22.5x12.5 [cm]
Weight 2,010.5 [g]

Legal

Vimar reserves the right to change at any time and without notice the characteristics of the products reported. Installation should be carried out by qualified staff in compliance with the current regulations regarding the installation of electrical equipment in the country where the products are installed. For the terms of use of the information on the product info sheet see [Conditions of Use](#).