



LIVING NOW

Fixed and movable covers

Cat. No(s): KW00 - KM00 - KG00 - KW01 - KM01 - KG01 - KW02 - KM02 - KG02 - KW03 - KM03 - KG03 - KW04 - KM04 - KV04 - KR04 - KM04 - KG04 - KW5 - KM5 - KG05 - KW06 - KM06 - KG06 - KW07 - KM07 - KG07 - KW08 - KM08 - KG08 - KW09 - KM09 - KG09 - KW10 - KM10 - KG10 - KW11H - KM11H - KG11H - KW12C - KM12C - KG12C - KW14 - KM14 - KG14 - KW15 - KM15 - KG15 - KW16 - KM16 - KG16 - KW17 - KM17 - KG17 - KW33 - KM33 - KG33 - KW19 - KM19 - KG19 - KW22 - KM22 - KG22 - KW24 - KM24 - KG24 - KW30M2 - KM30M2 - KG30M2 - KW31 - KM31 - KG31 - KW33M2 - KM33M2 - KG33M2 - KW40M2 - KM40M2 - KG40M2 - KW41M2 - KM41M2 - KG41M2 - KW42 - KM42 - KG42 - KW43M2 - KM43M2 - KG43M2 - KW55F - KG55F - KM55F - KW25M2 - KG25M2 - KM25M2 - KW08M2 - KG08M2 - KM08M2 - KW26M2 - KG26M2 - KM26M2 - KW51 - KG51 - KM51 - KW52 - KG52 - KM52



K00



K01

1. USE

Fixed and movable covers Living Now.

2. RANGE

FIXED COVER - 1 Module

Blank pole	☐ KW00 ☐ KM00 ☐ KG00
Italian socket 10/16	☐ KW02 ☐ KM02 ☐ KG02
RJ11/45	☐ KW07 ☐ KM07 ☐ KG07
TV 1	☐ KW08 ☐ KM08 ☐ KG08
TV 2	☐ KW09 ☐ KM09 ☐ KG09
Connected socket module	☐ KW31 ☐ KM31 ☐ KG31
USB charge	☐ KW10C ☐ KM10C ☐ KG10C
USB data	☐ KW10P ☐ KM10P ☐ KG10P
HDMI	☐ KW14 ☐ KM14 ☐ KG14
Buzzer	☐ KW15 ☐ KM15 ☐ KG15
IR	☐ KW16 ☐ KM16 ☐ KG16
MUR & DND	☐ KW11H ☐ KM11H ☐ KG11H

2. RANGE (continued)

FIXED COVER - 1 Module (continued)

Transponder reader	☐ KW24 ☐ KM24 ☐ KG24
--------------------	---

FIXED COVER - 2 Modules

P40 sockets	☐ KW03 - ☐ KV03 ☐ KM03 - ☐ KR03 ☐ KG03
German / french socket	☐ KW04 - ☐ KV04 ☐ KM04 - ☐ KR04 ☐ KG04
2 USB	☐ KW12C ☐ KM12C ☐ KG12C
Buzzer 2m	☐ KW15M2 ☐ KM15M2 ☐ KG15M2
Cover IR auto	☐ KW17 ☐ KM17 ☐ KG17
Green switch + IR	☐ KW17SL ☐ KM17SL ☐ KG17SL
Ksenia	☐ KW4275 - ☐ KW24 ☐ KM4275 - ☐ KM24 ☐ KG4275 - ☐ KG24
Gateway	☐ KW30M2 ☐ KM30M2 ☐ KG30M2
French Belgian FLAT socket	☐ KW55F ☐ KM55F ☐ KG55F
TV socket 2M	☐ KW25M2 - ☐ KM25M2 - ☐ KG25M2 ☐ KW26M2 - ☐ KM26M2 - ☐ KG26M2 ☐ KW08M2 - ☐ KM08M2 - ☐ KG08M2
Socket 2m US / EU-US	☐ KW51 ☐ KM51 ☐ KG51
Socket duplex US / EU-US	☐ KW52 ☐ KM52 ☐ KG52

FIXED COVER - 3 Modules

Badge	☐ KW22 ☐ KM22 ☐ KG22
-------	---

Colours code:

☐ White
 ☐ Black
 ☐ Sand
 ☐ Green
 ☐ Red

Fixed and movable covers

2. RANGE (continued)

MOBILE COVER - 1 Module

Switch	☐ KW01 ☐ KM01 ☐ KG01
Switch MH	☐ KW01MHAG ☐ KM01MHAG ☐ KG01MHAG
Light symbol	☐ KW01A ☐ KM01A ☐ KG01A
Bell symbol	☐ KW01D ☐ KM01D ☐ KG01D
Key symbol	☐ KW01F ☐ KM01F ☐ KG01F
Gen symbol	☐ KW01MHGEN ☐ KM01MHGEN ☐ KG01MHGEN
Back home symbol	☐ KW01MHBACK ☐ KM01MHBACK ☐ KG01MHBACK
Bed symbol	☐ KW01MHBED ☐ KM01MHBED ☐ KG01MHBED
Jolly	☐ KW01X ☐ KM01X ☐ KG01X
Shutter push button	☐ KW05 ☐ KM05 ☐ KG05
Shutter changeover	☐ KW06 ☐ KM06 ☐ KG06
MUR & DND	☐ KW06H ☐ KM06H ☐ KG06H
STOP	☐ KW06MH ☐ KM06MH ☐ KG06MH
Dimmer MH	☐ KW19MH ☐ KM19MH ☐ KG19MH
Basic dimmer	☐ KW19 ☐ KM19 ☐ KG19
Smart dimmer	☐ KW33 ☐ KM33 ☐ KG33

MOBILE COVER - 2 Modules

Switch	☐ KW01M2 ☐ KM01M2 ☐ KG01M2
Switch MH	☐ KW01MH2 ☐ KM01MH2 ☐ KG01MH2
ON/OFF symbol MH	☐ KW01MH2AG ☐ KM01MH2AG ☐ KG01MH2AG

2. RANGE (continued)

MOBILE COVER - 2 Modules (continued)

Light symbol	☐ KW01M2A ☐ KM01M2A ☐ KG01M2A
Light symbol MH	☐ KW01MH2A ☐ KM01MH2A ☐ KG01MH2A
Bell symbol	☐ KW01M2D ☐ KM01M2D ☐ KG01M2D
Bell symbol MH	☐ KW01MH2D ☐ KM01MH2D ☐ KG01MH2D
Key symbol	☐ KW01M2F ☐ KM01M2F ☐ KG01M2F
Key symbol MH	☐ KW01MH2F ☐ KM01MH2F ☐ KG01MH2F
Gen symbol MH	☐ KW01MH2GEN ☐ KM01MH2GEN ☐ KG01MH2GEN
Back symbol MH	☐ KW01MH2BACK ☐ KM01MH2BACK ☐ KG01MH2BACK
Bed symbol MH	☐ KW01MH2BED ☐ KM01MH2BED ☐ KG01MH2BED
Jolly	☐ KW01M2X ☐ KM01M2X ☐ KG01M2X
Jolly MH	☐ KW01MH2X ☐ KM01MH2X ☐ KG01MH2X
Shutter push button	☐ KW05M2 ☐ KM05M2 ☐ KG05M2
Shutter MH	☐ KW05MH2 ☐ KM05MH2 ☐ KG05MH2
Dimmer MH	☐ KW19MH2 ☐ KM19MH2 ☐ KG19MH2
Smart gen battery	☐ KW40M2 ☐ KM40M2 ☐ KG40M2
Smart dimmer battery	☐ KW33M2 ☐ KM33M2 ☐ KG33M2
Smart shutter battery	☐ KW43M2 ☐ KM43M2 ☐ KG43M2
Smart switch battery	☐ KW42M2 ☐ KM42M2 ☐ KG42M2
Smart WAKE UP/SLEEP battery	☐ KW41M2 ☐ KM41M2 ☐ KG41M2


Colours code:

☐ White ☐ Black ☐ Sand


Fixed and movable covers

3. OVERALL DIMENSIONS (mm)


■ Cover 1 module - (K00)



■ Cover 2 modules - (K04)



■ Cover 3 modules - (K22)



Cover	A	B	C
1 M	86	22	7
2 M	86	45	7
3 M	86	67	7

4. TECHNICAL CHARACTERISTICS

■ 4.1 Mechanical characteristics

Impact test: IK 04

■ 4.2 Material characteristics

Halogen-free

UV resistant

Self-extinguishing:

650°C/30 s for the other insulating components.

■ 4.3 Climatic characteristics

Storage temperature: - 10°C to + 70°C

Use temperature: - 5°C to + 50°C

5. CLEANING

Surface cleaning with a cloth.

Do not use: acetone, tar remover, trichloroethylene.

Caution: A preliminary test should be carried out if other specific cleaning products are to be used.