



Video: A/V wide-angle entrance plate 4B access

40170

ELVOX Door entry system / 2F/2F+ video door entry system / Video / Main video outdoor station

A/V wide-angle entrance plate 4B access

Product Status

3 - Active

Minimum order quantity

1 NR




Sheets, Manuals, Documentation

- [Additional instruction sheet \(1673 kb\)](#)
- [Quick Guide \(4162 kb\)](#)
- [Manuale app View Wireless \(16695 kb\)](#)
- [Manuel appli View Wireless \(36896 kb\)](#)
- [Manual app View Wireless \(36835 kb\)](#)
- [Manual View Wireless app \(36774 kb\)](#)
- [Εγχειρίδιο τεχνικού εγκατάστασης \(37151 kb\)](#)
- [Installationsanleitung View Wireless \(36685 kb\)](#)
- [Manuale Portale View Vimar \(3241 kb\)](#)
- [Manuel Portail View Vimar \(1975 kb\)](#)
- [Manual Portal Vimar View \(1943 kb\)](#)
- [Vimar View Portal manual \(2047 kb\)](#)
- [Εγχειρίδιο χρήσης Πύλη View Vimar \(2085 kb\)](#)
- [Bedienungsanleitung Portal View Vimar \(2057 kb\)](#)
- [Manual do instalador \(3892 kb\)](#)
- [Manuale installatore \(3886 kb\)](#)
- [Manuel installateur \(3892 kb\)](#)
- [Manual del instalador \(3875 kb\)](#)
- [Installer manual \(3900 kb\)](#)
- [Εγχειρίδιο τεχνικού εγκατάστασης \(3890 kb\)](#)
- [Installationsanleitung \(3901 kb\)](#)
- [\(3775 kb\)](#)
- [Label printer module for entrance panels \(1640 kb\)](#)

Video

- [Installation](#)
- [Configuration](#)

Drawings



Space view



Backside view



3D View


Technical data

- **Class group:** Communication technique
- **Class:** Door station door communication
- **Installation technique:** 2-wire
- **Mounting method:** Surface mounted
- **Operation mode:** Push button
- **Number of call buttons:** 4
- **Group call function:** No
- **Modular construction:** Yes
- **With info sign:** Yes
- **With cover:** Yes
- **With digital door code:** No
- **With audio induction loop:** No
- **Hearing aid compatible:** Yes
- **Overhear protected:** Yes
- **Vandal proof:** No
- **With camera:** Yes
- **Manual adjustable camera:** No
- **Opening angle camera:** 130
- **With display:** No
- **Colour display:** No
- **With display backlight:** No
- **Automatic brightness control:** No
- **Material front:** Zamac
- **Front plate height:** 190,00 mm
- **Front plate width:** 100,00 mm
- **Colour:** Grey
- **Integrated door opening circuit:** Yes
- **Voltage type (supply voltage):** DC
- **Supply voltage DC:** 28,00 - 28,01 V
- **Height:** 190,00 mm
- **Width:** 100,00 mm
- **Depth:** 32,50 mm
- **Built-in height:** 0,00 mm
- **Built-in width:** 100,00 mm
- **Built-in depth:** 0,00 mm
- **Degree of protection (IP):** IP54
- **Impact strength:** IK08
- **Wi-Fi:** No
- **Operation by app:** Yes
- **Compatible with Apple HomeKit:** No
- **Compatible with Google Assistant:** No
- **Compatible with Amazon Alexa:** No
- **IFTTT support available:** No

Certifications

- 00. CE Marking - EU
- 37. Marking - Morocco
- 46. UK PSTI compliance ([download](#))
- 99. WEEE Directive ([download](#))

Packaging



Code 8007352744967
Quantity 1 NR
Dim. 21.5x10.8x4.7 [cm]
Weight 722 [g]

Legal

Vimar reserves the right to change at any time and without notice the characteristics of the products reported. Installation should be carried out by qualified staff in compliance with the current regulations regarding the installation of electrical equipment in the country where the products are installed. For the terms of use of the information on the product info sheet see [Conditions of Use](#).