

Multimeters, testers ◀ Voltage testers

Multitester VT-120

Order code: M0048



Recommended price
4.590 € including VAT

Details on product safety: Responsible person for the EU

| | |
|------------|--------------------------------|
| AC voltage | 70 to 250 V contactless |
|------------|--------------------------------|

| | |
|---------------------|------------|
| polarity indication | yes |
|---------------------|------------|

| | |
|---------------|---------------------------|
| signalization | optical + acoustic |
|---------------|---------------------------|

[More parameters](#)

Basic data

| | |
|----------------|----------------------------------|
| Brand | EMOS |
| Order code | M0048 |
| Product number | 2201002000 |
| EAN | 8595025301284 |
| Packing | 1/5/50/1800 |
| Weight (kg) | 0.066/0.338/3.730/134.350 |

 [Add to compare](#)

[Documents to download](#)

Product description

Voltage tester with optical signalisation. The tester is designed for testing 70–250 V alternating voltage and 0–250 V direct voltage. The tester also detects short circuits or the polarity of power sources. The tester is powered by 2× LR41 (included).

FAQ - Frequently Asked Questions

What does the letter H stand for?

Which tester do you recommend for phase sequence and circuit continuity measurements?

The most important parameters

| | |
|----------------------------|--------------------------------|
| AC voltage | 70 to 250 V contactless |
| polarity indication | yes |
| signalization | optical + acoustic |




Other parameters

| | |
|---|---------------------------------|
| phase indication | no |
| measuring of connections of circuits | no |
| power source | 2× 1.5 V LR44 (included) |

| | |
|------------------------------------|---|
| DC voltage | 0 to 250 V contactless |
| non-contact measuring | polarity of sources and short-circuit, microwave ovens monitors emission |
| frequency range | 0–60 Hz |
| two settings of sensitivity | yes |
| AC/DC voltage | 0–250 V, 70–250 V |
| packaging | 1 pc, blister |

Files for download

Documents and files available for download

-  [Instructions](#) (PDF)
-  [Declaration of conformity](#) (PDF)
-  [Safety information](#) (PDF)



Wide portfolio of products



Excellent stock availability



Optimal price / quality



Fast communication