

Luminaires  LED Night lights

## LED Night Light 230 V with PIR Motion Sensor

Order code: P3318



**Recommended price**  
**19.900 € including VAT**

Details on product safety: Responsible person for the EU

power source **230 V**

motion sensor **yes**

source of light **LED**

[More parameters](#)

## Basic data

Brand	<b>EMOS</b>
Order code	<b>P3318</b>
Product number	<b>1456000150</b>
EAN	<b>8592920118450</b>
Packing	<b>1/-/12/432</b>
Weight (kg)	<b>0.088/-/1.370/49.180</b>

[!\[\]\(99f58673407353e96a019fbca558fd72\_img.jpg\) \*\*Add to compare\*\*](#)

[Documents to download](#)

## Enhanced content



## Night Light

No need to worry about the dark with the EMOS P3318 Night Light. Simply plug it into a socket and the **light sensor (day/night sensor)** automatically takes care of **activating it according to the ambient light intensity**. The model is equipped with a **PIR motion sensor** that turns on the light only when it is needed. Its small size and simple timeless design make it a **practical helper for every home**.

## A versatile helper

The P3318 night light can be used in **hallways, staircases and many other dark corners of the house or apartment**. Its dim, unobtrusive light **makes it easy to find your way around, makes the atmosphere more pleasant** and in some situations can replace the main lighting.



**Efficient and automatic operation**

For the operation of the EMOS P3318 night light, any socket is sufficient. In the **automatic light mode**, **both the day/night sensor and the PIR sensor are active**, thanks to which the light **extends to a distance of up to 5m** when **motion is detected**. This means the light will only shine when it is **really needed**, ensuring maximum energy savings.



**Wide portfolio of products**



**Excellent stock availability**



**Optimal price / quality**



**Fast communication**

## The most important parameters

power source	<b>230 V</b>
motion sensor	<b>yes</b>
source of light	<b>LED</b>

## Other parameters

maximal light output	<b>20 lm</b>
maximal beam distance	<b>5 m</b>
light color	<b>warm white</b>
switch	<b>no</b>
automatic on/off	<b>yes</b>
lighting modes	<b>automatic</b>
time delay	<b>90 seconds +/- 3 seconds</b>
photosensor	<b>yes</b>
max. output 1× USB	<b>not stated</b>
max. output total	<b>not stated</b>
rotation	<b>no</b>

protection against overload, overvoltage and short circuit	<b>not stated</b>
number of USB outputs	<b>not stated</b>
power	<b>0.8 W max.</b>
dimensions	<b>55 × 80 × 102 mm</b>
packaging	<b>1 pc, paper blister</b>

## Files for download

### Documents and files available for download

 [Declaration of conformity](#) (PDF)

 [Safety information](#) (PDF)