



MENU ▾

Searching e.g. bulb



Power supply extension cords, cable reels, plugs, accessories ◀ Power supply extension cords and sockets

## Extension Cord 20 m / 1 socket / black / rubber-neoprene / 250 V / 1.5 mm<sup>2</sup>

Order code: P01820



LENGTH

20 m



CONDUCTOR CROSS  
SECTION

1.5 mm<sup>2</sup>



## Recommended price

# 47.900 € including VAT

Details on product safety: Responsible person for the EU

length	<b>20 m</b>
conductor cross section	<b>1.5 mm<sup>2</sup></b>
product	<b>extension cord</b>
voltage	<b>230 V</b>
current	<b>16 A</b>
IP rating	<b>IP44</b>
number of sockets	<b>1</b>
type of insulation	<b>rubber/neopren</b>

[More parameters](#)

### Basic data

Brand	<b>EMOS</b>
Order code	<b>P01820</b>
Product number	<b>1921032000</b>
EAN	<b>8592920011065</b>
Packing	<b>1/-/2/144</b>
Weight (kg)	<b>3.220/-/6.790/488.740</b>

 [Add to compare](#)

[Documents to download](#)

# Product description

10 m rubber SCHUKO extension lead for 250 V~ for extending power supply to places where a socket cannot reach.

## The most important parameters

<b>length</b>	<b>20 m</b>
<b>conductor cross section</b>	<b>1.5 mm<sup>2</sup></b>
<b>product</b>	<b>extension cord</b>
<b>voltage</b>	<b>230 V</b>
<b>current</b>	<b>16 A</b>
<b>IP rating</b>	<b>IP44</b>
<b>number of sockets</b>	<b>1</b>
<b>type of insulation</b>	<b>rubber/neopren</b>

## Other parameters

<b>other functions</b>	<b>no</b>
<b>thermal fuse</b>	<b>no</b>
<b>conductor</b>	<b>H07RN-F3G</b>
<b>colour</b>	<b>black</b>
<b>max. unreeled load</b>	<b>16 A max./3 680 W</b>
<b>max. reeled load</b>	<b>not stated</b>
<b>children protection</b>	<b>yes</b>
<b>weight</b>	<b>not stated</b>
<b>dimensions</b>	<b>not stated</b>
<b>warranty period</b>	<b>2 years</b>
<b>packaging</b>	<b>1 pc, shrink</b>

# Files for download



## Documents and files available for download

 [Declaration of conformity](#) (PDF)

 [Instructions](#) (PDF)

 [Instructions](#) (PDF)

 [Safety information](#) (PDF)



**Wide portfolio of products**



**Excellent stock availability**



**Optimal price / quality**



**Fast communication**