



Video: Video kit 1/2-Fam.Tab 7S Up Wi-Fi +41005

K40517G.01

ELVOX Door entry system / 2F/2F+ video door entry system /
Video / Video kits

Video kit 1/2-Fam.Tab 7S Up Wi-Fi +41005

Due Fili Plus one-family/two-family colour hands-free video door entry kit containing: 1 Tab 7S Up Wi-Fi video entryphone 40517, white, with integrated Wi-Fi for call forwarding to smartphone, supervision of the View Wireless smart home automation system to control lights, roller shutters, sensors and scenarios, 1 1-module audio/video Pixel entrance panel, with 1 button, grey, composed of frame 41131.01, 1 audio/video electronic unit with wide-angle and teleloop 41005, 1 front module 41105.01, 1 single blank module 41113.01, 1 flush mounting box 9191, 1 power supply unit 40110



Product Status

3 - Active

Minimum order quantity

1 NR

Sheets, Manuals, Documentation

- [Additional instruction sheet \(241 kb\)](#)
- [BASIC KIT INSTALLATION MANUAL \(8842 kb\)](#)
- [Manuale app View Wireless \(19692 kb\)](#)
- [Manual View Wireless app \(42576 kb\)](#)
- [Manuel appli View Wireless \(43518 kb\)](#)
- [Manual app View Wireless \(43516 kb\)](#)
- [Εγχειρίδιο τεχνικού εγκατάστασης \(43799 kb\)](#)
- [Installationsanleitung View Wireless \(43585 kb\)](#)
- [Manual de Uso e Configuração \(29234 kb\)](#)
- [Manuale Uso e Configurazione \(29041 kb\)](#)
- [Manuel d'utilisation et de configuration \(29098 kb\)](#)
- [Manual de uso y configuración \(29199 kb\)](#)
- [Use and Configuration Manual \(29213 kb\)](#)
- [Εγχειρίδιο χρήσης και διαμόρφωσης \(29114 kb\)](#)
- [Bedienungs- und Konfigurationsanleitung \(29252 kb\)](#)
- [ةةئيهتلالو مادختسالال ليلد \(27994 kb\)](#)

Product Software

- [FW_VideocitofonoTAB7SUP2F_WiFiVV_REL-02.01.0303_20250707.zip](#)

Certifications

- **00. CE Marking - EU**
- **46. UK PSTI compliance ([download](#))**
- **99. WEEE Directive ([download](#))**

Technical data

Class group: Communication technique
(components and systems)

Class: Door station set

With video: Yes

Number of indoor stations: 1

Number of outdoor stations: 1

Installation technique: Bus system

Mounting method indoor station: Surface
mounted

Colour indoor station: White

Mounting method outdoor station: Flush-
mounted

Material outdoor station: Aluminium

Colour outdoor station: Silver

Picture system: PAL

Can be connected to smartphone: Yes

Internal communication: Yes

Hands free: Yes

With day/night function: No

Opening angle camera: 104

Zoom, pan/tilt function: No

With memory function: Yes

Screen diagonal: 177,80 mm

Screen diagonal (inch): 70

Manual adjustable camera: No

Hearing aid compatible: Yes

Packaging



8 007352 673199

8007352673199

Qtà 1 NR

Dim 36x35.5x9 [cm]

Weight 1,978.1 [g]

Kit components



40110 - Supply unit 2F+
100-240V 1 OUT 1,6A



40517 - Tab7S Up video
entryphone 2F+ Wi-Fi
whit



41005 - 2F+ A/V wide-
angle teleloop unit



41105.01 - Pixel A/V
Teleloop front module
grey



41113.01 - Pixel single
blank module grey



41131.01 - Pixel
frame+plate 1M grey



9191 - Back box for
entrance panels, 1
module

You may also be interested in



732H.E.100 - 2F+ PVC
cable 2x1 intern.laying
Eca 100m



732H.E.500 - 2F+ PVC-
cable internal laying Eca
500m



732I.C.100 - 2F+ cable
2x1 LSZH Cca 100m
purple




732I.E.100 - 2F+ LSZH
cable 2x1 outer laying
Eca 100m



732I.E.500 - 2F+ LSZH
cable 2x1 ext. laying Eca
500m



40596 - Tab 7 Up desktop



40591 - Box for Tab7 Up
video entryphone

Legal

Vimar reserves the right to change at any time and without notice the characteristics of the products reported. Installation should be carried out by qualified staff in compliance with the current regulations regarding the installation of electrical equipment in the country where the products are installed. For the terms of use of the information on the product info sheet see [Conditions of Use](#).