



## IP: 16-port Switch Gbit PoE at 2Uplink 2SFP

### 46260.18P.03

Safety / ELVOX CCTV / IP / Networking

### 16-port Switch Gbit PoE at 2Uplink 2SFP

Gigabit Ethernet switch with 18 RJ45 10/100/1000 Mbps auto-sensing ports, auto MDI/MDI-X, activity LED indicator, 16 PoE ports Standard IEEE 802.3af/at (End-Span 1/2+,3/6-) + 2 Uplink + 2SFP. Compatible with 10/100/1000 BASE-T, IEEE 802.3, IEEE 802.3u, IEEE 802.3ab, IEEE 802.3z, IEEE 802.3x standards, 2K MAC table. Port 1 supports HiPoE up to 60 W. Power supply 100-240 Vac. Dimensions: 320x207x45 mm.



### Product Status

3 - Active

### Minimum order quantity

1 NR

## Sheets, Manuals, Documentation

- [Multilanguage installer manual \(900 kb\)](#)

## Certifications

- **00. CE Marking - EU**
- **37. Marking - Morocco**
- **99. WEEE Directive ([download](#))**

## Technical data

**Class group:** Installation material for data and telecommunication networks

**Class:** Network switch

**Ethernet:** Yes

**Number of ports 10/100 Mbps RJ45:** 16

**Number of ports 10/100/1000 Mbps RJ45:** 2

**Number of ports 1000 Mbps RJ45:** 2

**Number of ports 10 Gbps RJ45:** 0

**Number of ports 10 Gbps Mini GBIC:** 0

**Number of ports 100/1000 Mbps Mini GBIC:** 0

**Number of ports 1000 Mbps Mini GBIC:** 0

**Number of ports 40 Gbps Mini GBIC:** 0

**Number of ports 100 Gbps Mini GBIC:** 0

**Number of combination-ports RJ45/Mini GBIC:** 0

**Number of ports 1000 Mbps GBIC:** 2

**Number of ports 10/100 Mbps M12:** 0

**Number of ports 100 Mbps SC:** 0

**Number of ports 1000 Mbps SC (SX):** 2

**Number of ports 1000 Mbps SC (LX):** 0

**Number of ports 100 Mbps ST:** 0

**Number of ports 100 Mbps POF:** 0

**Number of ports 1000 Mbps POF:** 0

**Number of other ports:** 2

**Power over Ethernet (PoE):** 802.3af (PoE)

**Number of ports PoE:** 16

**Max. PoE power:** 220 W

**Max. power consumption:** 12,90 W

**Redundant power supply:** No

**Mounting method:** Empty chassis

**Number of max. stackable switches:** 0

**Number of module slots:** 0

**Layer 2:** No

**Layer 3:** No

**Manageable:** No

**Degree of protection (IP):** IP00

**Height:** 44,00 mm

**Width:** 440,00 mm

**Depth:** 290,00 mm

**Compatible with Grade2TV according to XP-C 90-483:** No

**Compatible with Grade3TV according to XP-C 90-483:** No

## Packaging



8007352784765

**Qtà** 1 NR

**Dim** 37x29x8.5 [cm]

**Weight** 2,380 [g]



8007352790032

**Qtà** 5 NR

**Dim** 44.5x31x39 [cm]

**Weight** 11,900 [g]

## Legal

Vimar reserves the right to change at any time and without notice the characteristics of the products reported. Installation should be carried out by qualified staff in compliance with the current regulations regarding the installation of electrical equipment in the country where the products are installed. For the terms of use of the information on the product info sheet see [Conditions of Use](#).