



LINEA: 6M cov.pl.(2+2+2) cent.dist.71 coffee br

30644.61

Wiring devices / Traditional wiring devices / LINEA / Cover plates

6M cov.pl.(2+2+2) cent.dist.71 coffee br

6-module cover plate (2+2+2, distance between centres 71 mm),
metal, coffee bronze




Product Status

3 - Active


Minimum order quantity

5 NR


Drawings



Space view



Backside view



3D View

Certifications

- 00. CE Marking - EU

Technical data

Class group: Domestic switching devices

Class: Cover frame for domestic switching devices

Number of units: 6

Mounting direction: Horizontal and vertical

Number of device inserts horizontal: 6

Number of device inserts vertical: 1

Number of modules horizontal (module system): 6

Number of modules vertical (module system): 1

With mounting grid: No

Flush-mounted installation: Yes

Suitable for subfloor installation duct box: No

Suitable for wall duct: No

Suitable for built-in installation: No

Label space/information surface: No

Material: Metal

Material quality: Other

Halogen free: Yes

Anti-bacterial treatment: No

Surface protection: Lacquered

Surface finishing: Matt

Colour: Bronze

RAL-number (similar): 7013

Transparent: No

With hinged lid: No

Degree of protection (IP): IP00

Impact strength: Other

Type of fastening: Engage (snap)

Width: 232,00 mm

Height: 88,00 mm

Depth: 7,800 mm

Outer diameter: 0 mm

Inner diameter: 0 mm

Built-in width: 232,00 mm

Built-in height: 0,00 mm

Diameter bore hole (opening): 0,00 mm

Packaging



8007352823341

Qtà 1 NR

Dim 23.7x9.2x1.7
[cm]

Weight 179.2 [g]



8007352823358

Qtà 5 NR

Dim 24.4x10.4x10.3
[cm]

Weight 977.8 [g]

Legal

Vimar reserves the right to change at any time and without notice the characteristics of the products reported. Installation should be carried out by qualified staff in compliance with the current regulations regarding the installation of electrical equipment in the country where the products are installed. For the terms of use of the information on the product info sheet see [Conditions of Use](#).