

Specifications



Photo is representative

Eaton 248261

Eaton Distribution board accessory, Release relay, 250VAC, 1N/O, 15-32A, 1HP

General specifications

PRODUCT NAME	Eaton distribution board accessory
CATALOG NUMBER	248261
MODEL CODE	Z-LAR32-S
EAN	4015082482619
PRODUCT LENGTH/DEPTH	80 mm
PRODUCT HEIGHT	70 mm
PRODUCT WIDTH	17.5 mm
PRODUCT WEIGHT	0.109 kg
COMPLIANCES	RoHS conform
GLOBAL CATALOG	248261
PRODUCT TYPE	Distribution board accessory

Product specifications

MOUNTING METHOD	DIN rail
CURRENT RATING OF CONTROL CONTACTS	1 A
JUST-OPERATE CURRENT - MAX	32 A
JUST-OPERATE CURRENT - MIN	15 A
NUMBER OF CONTACTS (CHANGE-OVER CONTACTS)	0
NUMBER OF CONTACTS (NORMALLY CLOSED CONTACTS)	0
NUMBER OF CONTACTS (NORMALLY OPEN CONTACTS)	1
NUMBER OF ELECTRICAL SWITCHING CYCLES PER HOUR - MAX	3600
RATED OPERATIONAL VOLTAGE (UE) - MAX	250 V
RATED UNINTERRUPTED CURRENT (IU)	32 A
RATED UNINTERRUPTED CURRENT (IU) - MAX	32 A
RATED UNINTERRUPTED CURRENT (IU) - MIN	15 A
SWITCHING POWER OF CONTROL CONTACTS - MAX	7.36 VA
SWITCHING VOLTAGE OF CONTROL CONTACTS - MAX	250 V
WIDTH IN NUMBER OF MODULAR SPACINGS	1
BUILT-IN DEPTH	60 mm
DEGREE OF PROTECTION	IP20
LIFESPAN, ELECTRICAL	100000 c (contacts)
VOLTAGE TYPE	AC

Resources

DECLARATIONS OF CONFORMITY	eaton-distribution-parts-declaration-of-conformity-eu250442en.pdf
DRAWINGS	eaton-wiring-diagram-lar-s.jpg eaton-dimensions-mas-lar.jpg
INSTALLATION INSTRUCTIONS	IL019154ZU
MCAD MODEL	eaton-load-shedding-relays-mcad-drawings-z-lar.dwg eaton-load-shedding-relays-mcad-3d-models-z-lar.stp

PROJECT NAME:
PROJECT NUMBER:
PREPARED BY:
DATE:



Eaton Corporation plc Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2026 Eaton. All Rights Reserved.

Follow us on social media to get the latest product and support information.

