# 2x2P 71mm Living Now Plate

**BT-KA4802M2KS** | EAN. 8005543783399



| | |
|---|---|
| **Product Line** | Living NOW, Bticino |

## DESCRIPTION

2x2P 71mm Living Now Plate - Steel - Material: zamak

## PRODUCT CHARACTERISTICS

- Extreme purity of the design and precision of geometries Living Now has a unique shape, compact, distinctive.
- Innovative design: perfect flatness of the switch thanks to a self-centering system of the covers that allows the controllers to always remain aligned to the plate, even after multiple drives.
- Floating Frame: a flexible frame, placed on the back of the coverplate,free to move on the four corners, ensuring an optimal installation. Thanks to the floating frame, Living Now seems fluctuating on the wall.

- 2 gangs modules, satin Zama, STEEL finish
- Delivered with dedicated packaging to maintain the aesthetic characteristics unaltered

## TECHNICAL CHARACTERISTICS

| | | | |
|---|---|---|---|
| **Number of units** | 2 | **Mounting direction** | Horizontal |
| **Number of units horizontal** | 2 | **Number of units vertical** | 1 |
| **Number of modules horizontal (module system)** | 4 | **Number of modules vertical (module system)** | 1 |
| **With mounting grid** | No | **Flush-mounted installation** | Yes |
| **Suitable for subfloor installation duct box** | No | **Suitable for wall duct** | No |
| **Suitable for built-in installation** | No | **Label space/information surface** | No |
| **Material** | Metal | **Material quality** | Other |
| **Halogen free** | Yes | **Antimicrobial treatment** | No |
| **Surface protection** | Lacquered | **Surface finishing** | Matt |
| **Colour** | Grey | **RAL-number (similar)** | 7005 |
| **Transparent** | No | **With hinged lid** | No |
| **Degree of protection (IP)** | Other | **degree of impact strength (IK)** | IK04 |
| **Type of fastening** | Engage (snap) | **Width** | 173.5 mm |
| **Height** | 86 mm | **Depth** | 11 mm |
| **Built-in width** | 173.5 mm | **Built-in height** | 86 mm |
| **Operating / setting temperature (Min-Max)** | -5-35 °C | **Storage temperature (Min-Max)** | -10-70 °C |
| **Latin wood species** | Not applicable | **Certification of wood (list)** | Not applicable |
| **Wood Climate area** | Not applicable | | |

## THE PRODUCT'S BENEFITS

### Installation

The Living Now coverplate is equipped with a flexible frame, placed on the back of the plate, free to move on the four corners, ensuring an optimal installation.

### Usage

Innovative Design: unique and compact shape that, once completed with the covers, gives the switch an absolute flatness. The coverplate togheter with the commands in the same color is the maximum expression of monolithic elegance and valorization.

### Advantages

- These metal proposals go precisely to emphasize the monolithicity and value of the coverplate and controls in the space.
- The zamak coverplate embraces a premium approach, enriching and enhancing the object within the space.
- Floating frame: a flexible frame, placed on the back of the plate, free to move on the four corners, which guarantees an optimal installation by masking the imperfections of the wall or in the case of plasterboard boxes.

## USAGE RECOMMENDATIONS

For internal use only.